Domain - Configure Offline Files

Data collected on: 27/11/2015 11:10:55

General

shown

Details

shown

Domain	domain
Owner	domain\Domain Admins
Created	12/05/2015 08:39:50
Modified	27/11/2015 10:41:52
User Revisions	18 (AD), 18 (SYSVOL)
Computer Revisions	15 (AD), 15 (SYSVOL)
Unique ID	{069278F1-7623-421B-B111-DFB893E63637}
GPO Status	Enabled

Links

shown

Location	Enforced	Link Status	Path
Off-site Laptops	No	Enabled	domain/Managed Computers/Laptops/Off-site Laptops
Tablets	No	Enabled	domain/Managed Computers/Tablets

This list only includes links in the domain of the GPO.

Security Filtering

shown

The settings in this GPO can only apply to the following groups, users, and computers:

Name
domain\Domain Computers
domain\Domain Offline Files

WMI Filtering

shown

WMI Filter Name	Any Windows Desktop OS - Version 1
Description	None

Delegation

shown

These groups and users have the specified permission for this GPO

Name	Allowed Permissions	Inherited
domain\Domain Admins	Edit settings, delete, modify security	No
domain\Domain Computers	Read (from Security Filtering)	No
domain\Domain Offline Files	Read (from Security Filtering)	No
domain\Enterprise Admins	Edit settings, delete, modify security	No
NT AUTHORITY\ENTERPRISE DOMAIN CONTROLLERS	Read	No
NT AUTHORITY\SYSTEM	Edit settings, delete, modify security	No

Computer Configuration (Enabled)

shown

Policies

shown

Administrative Templates

shown

Policy definitions (ADMX files) retrieved from the central store.

Network/Offline Files

shown

Policy	Setting	Comment
Action on server disconnect	Enabled	

PDF Create 8 Trial www.nuance.com

Specify how the system is to respond when a network server becomes unavailable.

Action:	Work offline

Never go offline = Server's files are unavailable to local computer

Work offline = Server's files are available to local computer

Policy	Setting	Comment
Allow or Disallow use of the Offline Files feature	Enabled	
Configure Background Sync	Enabled	

Configure background sync:

Sync Interval (minutes)	120
Sync Variance (minutes)	60
Maximum Allowed Time Without A Sync (minutes)	0
Blockout Start Time (HHMM)	0

HHMM is a value where

HH must be between 0 and 24, and

MM must be between 0 and 59.

Blockout Duration (minutes)	0
Enable Background Sync for shares in user selected "Work Offline" mode	Disabled

Policy	Setting	Comment
Configure slow-link mode	Enabled	

Allows the administrator to configure when the automatic slow-link transition should happen for the specified UNC paths.

The UNC path should be specified in the Value Name column. The thresholds for throughput (in bits per second) and/or latency (in milliseconds) should be specified in the Value column.

Examples:

To enable the slow-link mode to apply when network throughput is less than 10000 bits per second and network latency is greater than 50 milliseconds:

Value Name="*" Value="Throughput=10000, Latency=50"

To enable the slow-link mode to apply to all shares on a server named "server" when network latency is greater than 50 milliseconds:

Value Name="\\server*" Value="Latency=50"

To enable the slow-link mode to apply to the share named "\\server\share" when network throughput is less than 10000 bits per second:

Value Name="\\server\share*" Value="Throughput=10000"

UNC Path	
\\domain\DFSShares*	32000
\\domain\DFSShares\StaffHome	60

Policy	Setting	Comment
Enable Transparent Caching	Enabled	

Enter the network latency value above which network files will be temporarily cached on the client.

Enter network latency value in milliseconds	32000

System/Group Policy shown

Policy	Setting	Comment
Configure user Group Policy loopback processing mode	Enabled	

Mode:	Merge

User Configuration (Enabled) shown

Policies shown

Administrative Templates shown

PDF Create 8 Trial www.nuance.com

Policy definitions (ADMX files) retrieved from the central store.

Network/Offline Files shown

Policy	Setting	Comment
Specify administratively assigned Offline Files	Enabled	

Specify network files and folders that are always available offline.

In the name field, type a fully-qualified UNC path for each file or folder.

Do not enter a value for the item.

Files and Folders:
H:\

PDF Create 8 Trial
www.nuance.com