

Nov 23 16:09:18 iPad flashsticks(UIKit)[521] <Notice>: You've implemented - [

Nov 23 16:09:18 iPad flashsticks(ManagedConfiguration)[521] <Notice>: Loaded MobileCoreServices.framework

Nov 23 16:09:19 iPad flashsticks(UnityFramework)[521] <Notice>: UnityIAP UnityEarlyTransactionObserver: Added to the payment queue

Nov 23 16:09:19 iPad itunesstored[135] <Notice>: [MicroPaymentQueue]: Client registered: com.learninglabs.flashsticks

Nov 23 16:09:19 iPad itunesstored[135] <Notice>: [MicroPaymentQueue]: Tring to send purchase intents for client: com.learninglabs.flashsticks, got intents: ()

Nov 23 16:09:19 iPad itunesstored[135] <Notice>: [MicroPaymentQueue]: Client registered: com.learninglabs.flashsticks

Nov 23 16:09:19 iPad itunesstored[135] <Notice>: [MicroPaymentQueue]: Tring to send purchase intents for client: com.learninglabs.flashsticks, got intents: ()

Nov 23 16:09:19 iPad flashsticks(UnityFramework)[521] <Notice>: Uncaught exception: NSInvalidArgumentException: Source type 1 not available(

0	CoreFoundation	0x000000018532f17c <redacted> + 148
1	libobjc.A.dylib	0x0000000184578528 objc_exception_throw + 56
2	UIKit	0x000000018eb1e458 <redacted> + 0
3	UnityFramework	0x00000001013b3d48 UnityAdsEngineSetDidFinishCallback + 1261312
4	UnityFramework	0x00000001013b3da4 UnityAdsEngineSetDidFinishCallback + 1261404
5	UnityFramework	0x00000001013b3c84 UnityAdsEngineSetDidFinishCallback + 1261116
6	CoreFoundation	0x00000001852c113c <redacted> + 20
7	CoreFoundation	0x00000001852c06dc <redacted> + 420
8	CoreFoundation	0x00000001852c0440 <redacted> + 60
9	CoreFoundation	0x000000018533de24 <redacted> + 1408
10	CoreFoundation	0x00000001851f6d60 _CFXNotificationPost + 380

Nov 23 16:09:19 iPad SpringBoard(KeyboardArbiter)[52] <Error>: HW kbd: Failed to set (null) as keyboard focus

Nov 23 16:09:19 iPad assertiond[63] <Notice>: Client relinquished <BKProcessAssertion: 0x137e2e0b0; "Deliver Message" (suspend:10s); id:\M-b\M^@\M-&A4A0D23C013D>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Deactivate assertion:
<BKProcessAssertion: 0x137e2e0b0; "Deliver Message" (suspend:10s); id:\M-b\M^\M-
&A4A0D23C013D>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] dump all assertions HWM:3
(deactivateAssertion): {

<BKProcessAssertion: 0x137d22eb0; "Resume" (activation:inf); id:\M-b\M^\M-
&A8F8490A8513> [active]

}

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Setting jetsam priority to 10
[0x10100]

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] dump all assertions HWM:3
(CPUMON check): { <BKProcessAssertion: 0x137d22eb0; "Resume" (activation:inf); id:\M-
b\M^\M^\M-&A8F8490A8513> [active]

}

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Remove assertion:
<BKProcessAssertion: 0x137e2e0b0; "Deliver Message" (suspend:10s); id:\M-b\M^\M-
&A4A0D23C013D>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] dump all assertions HWM:3
(CPUMON check): { <BKProcessAssertion: 0x137d22eb0; "Resume" (activation:inf); id:\M-
b\M^\M^\M-&A8F8490A8513> [active]

}

Nov 23 16:09:19 iPad assertiond[63] <Notice>: -[BKAssertion dealloc] - <0x137e2e0b0>

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: SB orientation locked: NO; user lock: NO, was stale:
NO, orientation: <private> overrides: NO,

Nov 23 16:09:19 iPad SpringBoard(UserActivity)[52] <Notice>: notifyBestAppChanged:(null)
UASuggestedActionType=0 <private>/<private> opts=(null) when=Mon Nov 23 16:09:19 2020
confidence=0 from=<private>/<private>

Nov 23 16:09:19 iPad sharingd[58] <Notice>: Skipping request for enabled: YES, state: PoweredOn,
shouldStart: NO, scanForCopyPaste: YES, scanForHandoff: YES

Nov 23 16:09:19 iPad useractivityd(Sharing)[148] <Notice>: client process changing types to scan for
to Handoff, CopyPaste

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: Front display did change: <SBApplication:
0x10b5ab880; com.learninglabs.flashsticks>

Nov 23 16:09:19 iPad SpringBoard(CoreMotion)[52] <Notice>: Stopping device motion, mode=0x22

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: <private> -
_setIdleTimerWithDescriptor:<SBIdleTimerDescriptor: 0x111252540; timerMode: Automatic;
quickUnwarnInterval: 102.0s; warnInterval: 100.0s; totalInterval: 120.0s>
reason:"SBAppDidEnterBackground"]

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: 0x10b9d4630 reconfigured attention timeouts:{

102 = "SBAttentionAwareIdleTimerTimeoutContext - expectation: quickWarn"; 100 =

"SBAttentionAwareIdleTimerTimeoutContext - expectation: warn";

120 = "SBAttentionAwareIdleTimerTimeoutContext - expectation: expiration";

}, configuration generation: 479

Nov 23 16:09:19 iPad backboardd(AttentionAwareness)[57] <Notice>: RemoteClient.m:255

: 17598.93389: Info: reset attention lost timeout for <private> at 17598.93389

Nov 23 16:09:19 iPad backboardd(AttentionAwareness)[57] <Notice>: RemoteClient.m:141

: 17598.93403: Info: updated config <private>, old config <private>

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: setting

configuration:<AWAttentionAwarenessConfiguration: 0x10c7b0d40> (identifier:

com.apple.springboard.GlobalBacklightIdleTimer samplingInterval: 0.00000 samplingDelay:

0.00000 attentionLostTimeouts: 102.00000, 100.00000, 120.00000 mask

Button|Keyboard|Digitizer|GameController|MesaTouch)

Nov 23 16:09:19 iPad SpringBoard(FrontBoard)[52] <Notice>: Added:

<FBUIApplicationSceneDeactivationAssertion: 0x10c771e30; reason: systemAnimation; all scene levels; hasPredicate: NO>

Nov 23 16:09:19 iPad useractivityd(Sharing)[148] <Notice>: client process changing types to scan for to CopyPaste

Nov 23 16:09:19 iPad sharingd[58] <Notice>: Skipping request for enabled: YES, state: PoweredOn, shouldStart: NO, scanForCopyPaste: YES, scanForHandoff: NO

Nov 23 16:09:19 iPad locationd[60] <Notice>: {"msg":"client getting effective client name",

"clientName":"com.apple.locationd", "bundleId":"","

"bundlePath":"\134/System\134/Library\134/LocationBundles\134/AppSuggestions.bundle"}

Nov 23 16:09:19 iPad locationd[60] <Notice>: {"msg":"client getting effective client name",

"clientName":"com.apple.locationd", "bundleId":"com.apple.AppStore", "bundlePath":""}

Nov 23 16:09:19 iPad SpringBoard(FrontBoard)[52] <Notice>: [com.learninglabs.flashsticks] Will update scene - foregroundness changed to: Background

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: saving suspend snapshot for this vc: <private>

Nov 23 16:09:19 iPad SpringBoard(FrontBoard)[52] <Notice>: [com.learninglabs.flashsticks] Sending scene action [Logical Deactivate] through WorkspaceServer: 0x111389960

Nov 23 16:09:19 iPad SpringBoard(SplashBoard)[52] <Notice>: [com.learninglabs.flashsticks]

Generating image data for snapshot: <XBApplicationSnapshot: 0x10bd07110; identifier: 395A0866-D025-4B0B-B045-6C01E3AEB897; name: SBSuspendSnapshot; contentType: SceneContent> { creationDate = 23 November 2020 at 16:09:19 GMT;

expirationDate = 23 November 2020 at 16:09:24 GMT;

keepsImageAccessUntilExpiration = YES;

hasGenerationContext = NO;

```

context = {
  contentType = SceneContent;
  fullScreen = YES;
  referenceSize = {768, 1024};
  interfaceOrientation = Portrait;
  additionalContext = {
    statusBarSettings = <XBStatusBarSettings: 0x10bd07370; hidden: YES; style: UIStatusBarStyleDefault;
    backgroundActivityEnabled: NO>;
  }
}

imageContext = {
  scale = 2.0;
  opaque = NO;
  fileRelativeLocation = none;
}

```

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: SB orientation locked: NO; user lock: NO, was stale: NO, orientation: <private> overrides: NO,

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: <private> -
 _setIdleTimerWithDescriptor:<SBIdleTimerDescriptor: 0x10b9f2e00; timerMode: Automatic;
 quickUnwarnInterval: 102.0s; warnInterval: 100.0s; totalInterval: 120.0s> reason:"SBHomeScreen"]

Nov 23 16:09:19 iPad SpringBoard(UserActivity)[52] <Notice>: notifyBestAppChanged:(null)
 UASuggestedActionType=0 <private>/<private> opts=(null) when=Mon Nov 23 16:09:19 2020
 confidence=0 from=<private>/<private>

Nov 23 16:09:19 iPad SpringBoard(SplashBoard)[52] <Error>: [com.learninglabs.flashsticks] Failed to
 generate image for <XBApplicationSnapshot: 0x10bd07110; \M-b\M^\M-&6C01E3AEB897>

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: 0x10b9d4630 reconfigured attention timeouts:{
 102 = "SBAttentionAwareIdleTimerTimeoutContext - expectation: quickWarn";
 100 = "SBAttentionAwareIdleTimerTimeoutContext - expectation: warn"; 120 =
 "SBAttentionAwareIdleTimerTimeoutContext - expectation: expiration";
 }, configuration generation: 480

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [SpringBoard:52] Attempting to acquire assertion for
 flashsticks:521: <BKProcessAssertion: 0x137e22c30;
 "FBSceneSnapshotAction:com.learninglabs.flashsticks" (finishTask:180s); id:\M-b\M^\M-&379CF1B57400>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Add assertion: <BKProcessAssertion: 0x137e22c30; id: 52-EBC6FD75-52C3-4D99-BD01-379CF1B57400; name: FBSceneSnapshotAction:com.learninglabs.flashsticks; state: active; reason: finishTask; duration: 180.0s> { owner = <BSProcessHandle: 0x137e0e040; SpringBoard:52; valid: YES>;

flags = preventSuspend, preventThrottleDownUI, preventThrottleDownCPU, preventIdleSleep, preventSuspendOnSleep;

}

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Activate assertion: <BKProcessAssertion: 0x137e22c30; "FBSceneSnapshotAction:com.learninglabs.flashsticks" (finishTask:180s); id:\M-b\M^\M-&379CF1B57400>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] New process assertion state; preventSuspend, preventThrottleDownUI, preventThrottleDownCPU, preventIdleSleep, preventSuspendOnSleep (assertion 0x137e22c30 added: preventIdleSleep; removed: (none))

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Setting jetsam priority to 10 [0x10108]

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] dump all assertions HWM:3 (CPUMON check): {

<BKProcessAssertion: 0x137d22eb0; "Resume" (activation:inf); id:\M-b\M^\M-&A8F8490A8513> [active]

<BKProcessAssertion: 0x137e22c30; "FBSceneSnapshotAction:com.learninglabs.flashsticks" (finishTask:180s); id:\M-b\M^\M-&379CF1B57400> [active]

}

Nov 23 16:09:19 iPad assertiond[63] <Notice>: Creating PowerAssertion on flashsticks:521

Nov 23 16:09:19 iPad assertiond[63] <Notice>: Created PowerAssertion on flashsticks:521, sleep reverted

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [SpringBoard:52] Attempting to acquire assertion for flashsticks:521: <BKProcessAssertion: 0x137e2dbb0; "Suspending" (suspend:10s); id:\M-b\M^\M-&F862EF59CD78>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Add assertion: <BKProcessAssertion: 0x137e2dbb0; id: 52-490FC7A2-8DAC-4C7D-B630-F862EF59CD78; name: Suspending; state: active; reason: suspend; duration: 10.0s> { owner = <BSProcessHandle: 0x137e0e040; SpringBoard:52; valid: YES>;

flags = preventSuspend, preventThrottleDownUI, preventThrottleDownCPU, preventSuspendOnSleep;

}

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Activate assertion: <BKProcessAssertion: 0x137e2dbb0; "Suspending" (suspend:10s); id:\M-b\M^\M-&F862EF59CD78>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Setting jetsam priority to 10 [0x10308]

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] dump all assertions HWM:3 (CPUMON check): { <BKProcessAssertion: 0x137d22eb0; "Resume" (activation:inf); id:\M-b\M^\M-&A8F8490A8513> [active]

<BKProcessAssertion: 0x137e22c30; "FBSceneSnapshotAction:com.learninglabs.flashsticks" (finishTask:180s); id:\M-b\M^\M-&379CF1B57400> [active]

<BKProcessAssertion: 0x137e2dbb0; "Suspending" (suspend:10s); id:\M-b\M^\M-&F862EF59CD78> [active]

}

Nov 23 16:09:19 iPad assertiond[63] <Notice>: Updating PowerAssertion on flashsticks:521

Nov 23 16:09:19 iPad assertiond[63] <Notice>: Client relinquished <BKProcessAssertion: 0x137d22eb0; "Resume" (activation:inf); id:\M-b\M^\M-&A8F8490A8513>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Setting jetsam priority to 3 [0x308]

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] dump all assertions HWM:3 (CPUMON check): { <BKProcessAssertion: 0x137d22eb0; "Resume" (activation:inf); id:\M-b\M^\M-&A8F8490A8513> [active]

<BKProcessAssertion: 0x137e22c30; "FBSceneSnapshotAction:com.learninglabs.flashsticks" (finishTask:180s); id:\M-b\M^\M-&379CF1B57400> [active]

<BKProcessAssertion: 0x137e2dbb0; "Suspending" (suspend:10s); id:\M-b\M^\M-&F862EF59CD78> [active]

}

Nov 23 16:09:19 iPad useractivityd(Sharing)[148] <Notice>: client process changing types to scan for to Handoff, CopyPaste

Nov 23 16:09:19 iPad sharingd[58] <Notice>: SystemUI changed: 0x0 -> 0x10

Nov 23 16:09:19 iPad backboardd(AttentionAwareness)[57] <Notice>: RemoteClient.m:255 : 17598.99166: Info: reset attention lost timeout for <private> at 17598.99166

Nov 23 16:09:19 iPad backboardd(AttentionAwareness)[57] <Notice>: RemoteClient.m:141 : 17598.99182: Info: updated config <private>, old config <private>

Nov 23 16:09:19 iPad powerd[35] <Notice>: Sleep revert state: 1

Nov 23 16:09:19 iPad powerd[35] <Notice>: Process assertiond.63 Created SystemIsActive "flashsticks:521:52-EBC6FD75-52C3-4D99-BD01-379CF1B57400 [FBSceneSnapshotAction:com.learninglabs.flashsticks] [0x137e22c30]" age:00:00:00 id:51539645807 [System: SysAct]

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Deactivate assertion: <BKProcessAssertion: 0x137d22eb0; "Resume" (activation:inf); id:\M-b\M^\M-&A8F8490A8513>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] dump all assertions HWM:3 (deactivateAssertion): { <BKProcessAssertion: 0x137e22c30; "FBSceneSnapshotAction:com.learninglabs.flashsticks" (finishTask:180s); id:\M-b\M^\M-&379CF1B57400> [active]

<BKProcessAssertion: 0x137e2dbb0; "Suspending" (suspend:10s); id:\M-b\M^\M-&F862EF59CD78> [active]

}

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Longest remaining time-limited assertion is <BKProcessAssertion: 0x137e22c30; "FBSceneSnapshotAction:com.learninglabs.flashsticks" (finishTask:180s); id:\M-b\M^\M-&379CF1B57400> with duration 180.0s

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Setting up BG permission check timer for 180s

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Setting jetsam priority to 3 [0x208]

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] dump all assertions HWM:3 (CPUMON check): { <BKProcessAssertion: 0x137e22c30; "FBSceneSnapshotAction:com.learninglabs.flashsticks" (finishTask:180s); id:\M-b\M^\M-&379CF1B57400> [active]

<BKProcessAssertion: 0x137e2dbb0; "Suspending" (suspend:10s); id:\M-b\M^\M-&F862EF59CD78> [active]

}

Nov 23 16:09:19 iPad assertiond[63] <Notice>: Updating PowerAssertion on flashsticks:521

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Remove assertion: <BKProcessAssertion: 0x137d22eb0; "Resume" (activation:inf); id:\M-b\M^\M-&A8F8490A8513>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Setting up BG permission check timer for 180s

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] dump all assertions HWM:3 (CPUMON check): { <BKProcessAssertion: 0x137e22c30; "FBSceneSnapshotAction:com.learninglabs.flashsticks" (finishTask:180s); id:\M-b\M^\M-&379CF1B57400> [active]

<BKProcessAssertion: 0x137e2dbb0; "Suspending" (suspend:10s); id:\M-b\M^\M-&F862EF59CD78> [active]

}

Nov 23 16:09:19 iPad assertiond[63] <Notice>: Updating PowerAssertion on flashsticks:521

Nov 23 16:09:19 iPad assertiond[63] <Notice>: -[BKAssertion dealloc] - <0x137d22eb0>

Nov 23 16:09:19 iPad CommCenter[78] <Notice>: #I FBSDisplayLayoutUpdateHandler: update start

Nov 23 16:09:19 iPad CommCenter[78] <Notice>: #I ActivationObserver: notifyAboutFrontAppChange : app: <private>; pid: 0; net: 0

Nov 23 16:09:19 iPad sharingd[58] <Notice>: Skipping request for enabled: YES, state: PoweredOn, shouldStart: NO, scanForCopyPaste: YES, scanForHandoff: YES

Nov 23 16:09:19 iPad CommCenter[78] <Notice>: #1 FBSDisplayLayoutUpdateHandler: 5. app got notification state: new counter=204

Nov 23 16:09:19 iPad mediaserverd(CoreMedia)[24] <Notice>: -CMSessionMgr-CMSessionMgrHandleApplicationStateChange: CMSession: Client com.learninglabs.flashsticks with pid '521' is now Background Running. Background entitlement: NO

Nov 23 16:09:19 iPad symptomsd(SymptomEvaluator)[115] <Notice>: 521 com.learninglabs.flashsticks: BackgroundRunning (most elevated: BackgroundRunning)

Nov 23 16:09:19 iPad mediaserverd(AudioToolbox)[24] <Notice>: 1171: pid 521()

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: setting configuration:<AWAttentionAwarenessConfiguration: 0x10c7d3320> (identifier: com.apple.springboard.GlobalBacklightIdleTimer samplingInterval: 0.00000 samplingDelay: 0.00000 attentionLostTimeouts: 102.00000, 100.00000, 120.00000 mask Button|Keyboard|Digitizer|GameController|MesaTouch)

Nov 23 16:09:19 iPad backboardd(AttentionAwareness)[57] <Notice>: EventStatistics.m:48 : 17599.02461: Info: <private>since 17581.01068 (Mon Nov 23 16:09:01 2020)

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: Front display did change: (null)

Nov 23 16:09:19 iPad backboardd(AttentionAwareness)[57] <Notice>: RemoteClient.m:255 : 17599.02588: Info: reset attention lost timeout for <private> at 17599.02588

Nov 23 16:09:19 iPad backboardd(AttentionAwareness)[57] <Notice>: RemoteClient.m:141 : 17599.02600: Info: updated config <private>, old config <private>

Nov 23 16:09:19 iPad SpringBoard(WiFiPicker)[52] <Notice>: WIFI PICKER [com.learninglabs.flashsticks]: isProcessLaunch: 0, isForegroundActivation: 0, isForegroundDeactivation: 1

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: 0x10b9d4630 reconfigured attention timeouts:{ 102 = "SBAttentionAwareIdleTimerTimeoutContext - expectation: quickWarn";

100 = "SBAttentionAwareIdleTimerTimeoutContext - expectation: warn";

120 = "SBAttentionAwareIdleTimerTimeoutContext - expectation: expiration";

}, configuration generation: 481

Nov 23 16:09:19 iPad SpringBoard(CoreMotion)[52] <Notice>: Starting device motion, mode=0x22,useAccelerometer=0,useGyro=1,useCompass=0,fUseNorthRef=0,buildingGYTT=0

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: setting configuration:<AWAttentionAwarenessConfiguration: 0x11124e450> (identifier: com.apple.springboard.GlobalBacklightIdleTimer samplingInterval: 0.00000 samplingDelay: 0.00000 attentionLostTimeouts: 102.00000, 100.00000, 120.00000 mask Button|Keyboard|Digitizer|GameController|MesaTouch)

Nov 23 16:09:19 iPad ReportCrash(CrashReporterSupport)[522] <Notice>: Trying to create CR directory structure as root

Nov 23 16:09:19 iPad SpringBoard(CoreMotion)[52] <Notice>:
{ "msg": "CLGyroBiasEstimatorClientRemote::registerWithGyroBiasEstimatorPrivate",
"event": "activity", "isBuildingGYTT": 0, "client": "0x10b6aaa90", "info": "0x10b9eb5d0" }

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: Enabling home screen icon rotation for reason: SBAppToAppWorkspaceTransaction

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: Nudging home screen window orientation because icon rotation changed.

Nov 23 16:09:19 iPad SpringBoard(FrontBoard)[52] <Notice>: Removed:
<FBUIApplicationSceneDeactivationAssertion: 0x10c771e30; reason: systemAnimation; all scene levels; hasPredicate: NO>

Nov 23 16:09:19 iPad SpringBoard(CoreMotion)[52] <Notice>: { "msg": "Sending cached messages to daemon", "event": "activity" }

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: Root transaction complete:
<SBAppToAppWorkspaceTransaction: 0x10b6f01a0>

Nov 23 16:09:19 iPad SpringBoard(CoreMotion)[52] <Notice>: #Warning No cached registration message

Nov 23 16:09:19 iPad SpringBoard(CoreMotion)[52] <Notice>:
{ "msg": "CLGyroBiasEstimatorClientRemote::onWatchdogTimerExpiry", "event": "activity",
"client": "0x10b6aaa90" }

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: Application process state changed for com.learninglabs.flashsticks: <SBApplicationProcessState: 0x10b8a2a00; pid: 521; taskState: Running; visibility: Background>

Nov 23 16:09:19 iPad ReportCrash(CrashReporterSupport)[522] <Notice>: cr_update: <private>

Nov 23 16:09:19 iPad ReportCrash[522] <Notice>: __crash_info: [<private>] '<private>'

Nov 23 16:09:19 iPad locationd[60] <Notice>: { "msg": "state transition", "event": "state_transition",
"state": "DaemonClient", "id": "0x103084000", "property": "lifecycle", "old": "0x0",
"new": "0x103084000" }

Nov 23 16:09:19 iPad locationd[60] <Notice>: { "msg": "state transition", "event": "state_transition",
"state": "DaemonClient", "id": "0x103084000", "property": "clientName", "old": "",
"new": "com.apple.springboard" }

Nov 23 16:09:19 iPad locationd[60] <Notice>: #Warning PAUSE: BATCH: '<private>' (<private>, <private>) started in unexpected state: <private>

Nov 23 16:09:19 iPad locationd[60] <Notice>: Client com.apple.springboard connected

Nov 23 16:09:19 iPad locationd[60] <Notice>: Background indicator enabled for <private> is now <private> (was <private>)

Nov 23 16:09:19 iPad locationd[60] <Notice>: {"msg":"kCLConnectionMessageGyroBiasEstimation", "event":"activity", "this":"0x103084000", "registrationRequired":0, "registrationReceived":0}

Nov 23 16:09:19 iPad locationd[60] <Notice>: Client com.apple.springboard (0x103084000) is subscribing to notification kCLConnectionMessageGyroBiasEstimation

Nov 23 16:09:19 iPad dasd(DuetActivitySchedulerDaemon)[105] <Notice>: Trigger: <private> is now []

Nov 23 16:09:19 iPad dasd(DuetActivitySchedulerDaemon)[105] <Notice>: Foreground app changed\M-b\M^@\M^T-

Nov 23 16:09:19 iPad locationd[60] <Notice>: {"msg":"client getting effective client name", "clientName":"com.apple.locationd", "bundleId":""," "bundlePath":"\134/System\134/Library\134/LocationBundles\134/AppSuggestions.bundle"}

Nov 23 16:09:19 iPad locationd[60] <Notice>: {"msg":"client getting effective client name", "clientName":"com.apple.locationd", "bundleId":"com.apple.AppStore", "bundlePath":""}

Nov 23 16:09:19 iPad CommCenter[78] <Notice>: #I BundleID: <private> is no longer a foreground app

Nov 23 16:09:19 iPad symptomsd(SymptomEvaluator)[115] <Notice>: Entry, display name com.learninglabs.flashsticks uuid (null) pid 521 isFront 0

Nov 23 16:09:19 iPad symptomsd(SymptomEvaluator)[115] <Notice>: Continue with bundle name com.learninglabs.flashsticks, is front 0

Nov 23 16:09:19 iPad symptomsd(SymptomEvaluator)[115] <Notice>: com.learninglabs.flashsticks: Foreground: false

Nov 23 16:09:19 iPad symptomsd(SymptomEvaluator)[115] <Notice>: NBSM Current state: normal, changed: systemForeground to 0 for net type 0

Nov 23 16:09:19 iPad symptomsd(SymptomEvaluator)[115] <Notice>: NBSM Eligible to go to broken

Nov 23 16:09:19 iPad symptomsd(SymptomEvaluator)[115] <Notice>: NBSM Current state: normal, changed: systemForeground to 0 for net type 0, eligible for broken but constraints unsatisfied (0,0)

Nov 23 16:09:19 iPad ReportCrash[522] <Notice>: Formulating report for corpse[521] flashsticks

Nov 23 16:09:19 iPad ReportCrash(MobileCoreServices)[522] <Notice>: notify_register_check() failed with error 1000000

Nov 23 16:09:19 iPad ReportCrash(CoreTelephony)[522] <Notice>: CCMonitor created

Nov 23 16:09:19 iPad CommCenter[78] <Notice>: #I New CTServerConnection from pid 522 (conn=0x105255d70)

Nov 23 16:09:19 iPad CommCenter[78] <Notice>: #I -- connection has entitlements: <private>

Nov 23 16:09:19 iPad CommCenter[78] <Notice>: #I CTServerConnection from pid 522[<private>] is named '<private>'.

Nov 23 16:09:19 iPad ReportCrash(libMobileGestalt.dylib)[522] <Notice>: libMobileGestalt MGBasebandSupport.c:51: _CTServerConnectionCopyFirmwareVersion: CommCenter error: 1:45 (Operation not supported)

Nov 23 16:09:19 iPad CommCenter[78] <Notice>: #1 CTServerConnection from pid 522 has closed (conn=0x105255d70)

Nov 23 16:09:19 iPad ReportCrash(CrashReporterSupport)[522] <Notice>: Saved type '109(<private>)' report (19 of max 25) at /var/mobile/Library/Logs/CrashReporter/flashsticks-2020-11-23-160919.ips

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Port death watcher fired.

Nov 23 16:09:19 iPad assertiond[63] <Notice>: Server invalidated <BKProcessAssertion: 0x137e22c30; "FBSceneSnapshotAction:com.learninglabs.flashsticks" (finishTask:180s); id:\M-b\M^@\M-&379CF1B57400>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: Server invalidated <BKProcessAssertion: 0x137e2dbb0; "Suspending" (suspend:10s); id:\M-b\M^@\M-&F862EF59CD78>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: Client relinquished <BKProcessAssertion: 0x137e22c30; "FBSceneSnapshotAction:com.learninglabs.flashsticks" (finishTask:180s); id:\M-b\M^@\M-&379CF1B57400>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Ignoring assertion remove, because we are terminated or pending termination

Nov 23 16:09:19 iPad assertiond[63] <Notice>: Process exited: <BKProcess: 0x137d116e0; flashsticks; com.learninglabs.flashsticks; pid: 521; agency: Application; visibility: background; task: none; hostpid: 52>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Invalidating...

Nov 23 16:09:19 iPad assertiond[63] <Notice>: Client relinquished <BKProcessAssertion: 0x137e2dbb0; "Suspending" (suspend:10s); id:\M-b\M^@\M-&F862EF59CD78>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: Releasing PowerAssertion on flashsticks:521 from invalidate

Nov 23 16:09:19 iPad powerd[35] <Notice>: Process assertiond.63 Released SystemIsActive "flashsticks:521:52-EBC6FD75-52C3-4D99-BD01-379CF1B57400 [FBSceneSnapshotAction:com.learninglabs.flashsticks] [0x137e22c30]" age:00:00:00 id:51539645807 [System: SysAct]

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] dump all assertions HWM:3 (CPUMON check): {

<BKProcessAssertion: 0x137e22c30; "FBSceneSnapshotAction:com.learninglabs.flashsticks" (finishTask:180s); id:\M-b\M^@\M-&379CF1B57400> [active]

<BKProcessAssertion: 0x137e2dbb0; "Suspending" (suspend:10s); id:\M-b\M^@\M-&F862EF59CD78> [active]

}

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Ignoring assertion remove, because we are terminated or pending termination

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Got exit context: <BKSPProcessExitContext: 0x137e2d0c0; reason: (none)>

Nov 23 16:09:19 iPad SpringBoard(FrontBoard)[52] <Notice>: <FBApplicationProcess: 0x1113895c0; flashsticks (com.learninglabs.flashsticks); pid: 521> exited.

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: Process exited: <FBApplicationProcess: 0x1113895c0; flashsticks (com.learninglabs.flashsticks); pid: -1> -> <FBApplicationProcessExitContext: 0x10b8751d0; exitReason: (none); terminationReason: (none)> { stateAtExit = <FBProcessState: 0x10bf5f4e0; pid: 521; taskState: Not Running; visibility: Unknown>; }

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: reconfigured lock button: <SBMutableHardwareButtonGestureParameters: 0x10bd53c10; maximumPressCount: 1; longPressTimeInterval: 2.50s; multiplePressTimeInterval: 0.30s>

Nov 23 16:09:19 iPad SpringBoard[52] <Notice>: Application process state changed for com.learninglabs.flashsticks: (null)

Nov 23 16:09:19 iPad SpringBoard(FrontBoard)[52] <Notice>: [FBProcessManager] Removing: <FBApplicationProcess: 0x1113895c0; flashsticks (com.learninglabs.flashsticks); pid: 521>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: Deleted job with label: UIApplication:com.learninglabs.flashsticks[0xd7a0][63]

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Deleted launchd job with label: UIApplication:com.learninglabs.flashsticks[0xd7a0][63]

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Invalidation complete.

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Terminating because the job-submitter has disconnected.

Nov 23 16:09:19 iPad assertiond[63] <Notice>: Checking for deferred bootstrap request for com.learninglabs.flashsticks

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] Removing client: <BKProcessInfoServerClient: 0x137e124b0; pid: 52>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: [flashsticks:521] No clients remain.

Nov 23 16:09:19 iPad CommCenter[78] <Notice>: #I BundleID: <private> is no longer a foreground app

Nov 23 16:09:19 iPad SpringBoard(WiFiPicker)[52] <Notice>: WIFI PICKER [com.learninglabs.flashsticks]: isProcessLaunch: 0, isForegroundActivation: 0, isForegroundDeactivation: 0

Nov 23 16:09:19 iPad mediaserverd(CoreMedia)[24] <Notice>: -CMSessionMgr-CMSessionMgrHandleApplicationStateChange: CMSession: Client com.learninglabs.flashsticks with pid '521' is now Terminated. Background entitlement: NO

Nov 23 16:09:19 iPad symptomsd(SymptomEvaluator)[115] <Notice>: 521
com.learninglabs.flashsticks: Terminated (most elevated: Terminated)

Nov 23 16:09:19 iPad symptomsd(SymptomEvaluator)[115] <Notice>: Entry, display name
com.learninglabs.flashsticks uuid (null) pid 521 isFront 0

Nov 23 16:09:19 iPad assertiond[63] <Notice>: -[BKAssertion dealloc] - <0x137e22c30>

Nov 23 16:09:19 iPad assertiond[63] <Notice>: -[BKAssertion dealloc] - <0x137e2dbb0>

Nov 23 16:09:19 iPad SpringBoard(CoreMotion)[52] <Notice>:
{"msg":"CLGyroBiasEstimatorClientRemote::unregisterWithGyroBiasEstimatorPrivate",
"event":"activity", "client":"0x10b6aaa90"}

Nov 23 16:09:19 iPad locationd[60] <Notice>: #Warning Location connection invalid!

Nov 23 16:09:19 iPad locationd[60] <Notice>: {"msg":"CLConnection::handleDisconnection",
"event":"activity"}

Nov 23 16:09:19 iPad locationd[60] <Notice>: Client com.apple.springboard disconnected